




## MINI BALL PULL UP SEAL



### ■ Applications:

Suitable for sealing small box, cabin or eyelet with low breaking strength application

### ■ Material:

Nylon or Polypropylene (PP)

### ■ Color:

Red, Yellow, Blue, Green, Orange, White are standard colors

Other colors available upon request

### ■ Operating Temp:

-40°C to +85°C

### ■ Unit:

100 Pcs/Pkt

### Features:

- Thin sealing strap designed to fit most locking rings & equipment locks
- Cone-ball shaped adjustable length accommodates varied diameter with leaving no chances of failure or tempering
- Its unique design with acetal insert locking mechanism provides temper proof secure locking
- Available with plain or rip-off tag design. No tool or scissor require for removing seal, it can be detached simply by tearing at the tear mark provided on the tag
- Supply in easy to use stripes of 10 with no plastic waste
- Contain no metal parts & it is recyclable

Size L x Dia. (mm)	Material	Ten. Str.		Tag Marking space L x W (mm)	Cat No.
		Kgs	Lbs		
140 x Ø 2.6	Nylon	10	22	22 x 15	SSBM-1402IL
140 x Ø 2.6	Polypropylene	8	18	22 x 15	SSBM-1402PIL
180 x Ø 2.6	Nylon	10	22	22 x 15	SSBM-1802IL
180 x Ø 2.6	Polypropylene	8	18	22 x 15	SSBM-1802PIL
240 x Ø 2.6	Nylon	10	22	22 x 15	SSBM-2402IL
240 x Ø 2.6	Polypropylene	8	18	22 x 15	SSBM-2402PIL
140 x Ø 2.6	Nylon	10	22	20 x 12	SSBMR-1402IL
140 x Ø 2.6	Polypropylene	8	18	20 x 12	SSBMR-1402PIL
140 x Ø 2.6	Nylon	10	22	36 x 13	SSBMR-1402ML
140 x Ø 2.6	Polypropylene	8	18	36 x 13	SSBMR-1402PML
140 x Ø 2.6	Nylon	10	22	36 x 15	SSBMR-1402BL
140 x Ø 2.6	Polypropylene	8	18	36 x 15	SSBMR-1402PBL
180 x Ø 2.6	Nylon	10	22	20 x 12	SSBMR-1802IL
180 x Ø 2.6	Polypropylene	8	18	20 x 12	SSBMR-1802PIL
180 x Ø 2.6	Nylon	10	22	36 x 13	SSBMR-1802ML
180 x Ø 2.6	Polypropylene	8	18	36 x 13	SSBMR-1802PML
180 x Ø 2.6	Nylon	10	22	36 x 15	SSBMR-1802BL
180 x Ø 2.6	Polypropylene	8	18	36 x 15	SSBMR-1802PBL
240 x Ø 2.6	Nylon	10	22	20 x 12	SSBMR-2402IL
240 x Ø 2.6	Polypropylene	8	18	20 x 12	SSBMR-2402PIL
240 x Ø 2.6	Nylon	10	22	36 x 13	SSBMR-2402ML
240 x Ø 2.6	Polypropylene	8	18	36 x 13	SSBMR-2402PML
240 x Ø 2.6	Nylon	10	22	36 x 15	SSBMR-2402BL
240 x Ø 2.6	Polypropylene	8	18	36 x 15	SSBMR-2402PBL
200 x Ø 3.0	Nylon	10	22	20 x 12	SSBMR-2003IL
200 x Ø 3.0	Polypropylene	8	18	20 x 12	SSBMR-2003PIL